

# SCRUBTEC R 3 – WHY COMPROMISE

*Battery powered compact and manoeuvrable ride-on scrubber/dryer*

**Nilfisk  
ALTO**

*Why Compromise*



# The smart way to clean quickly



Easy to fill thanks to the large opening on the solution tank

Big protection bumper for close edge cleaning

The SCRUBTEC R 3 series of ride-on scrubber dryers bridges the critical gap between walk-behind machines and bigger ride-ons. With all the 'feel' of a hand-on operation, yet having all the speed and convenience of a ride-on, these units offer the practical means of handling lighter-duty cleaning applications.

Designed to the high quality standards associated with Nilfisk-ALTO, these units are amazingly compact and superbly manoeuvrable. They are easy-to-use, battery-driven, and meet the critical demand of providing productive and efficient cleaning at an economic price.

The SCRUBTEC R 3 series is intended for lighter-duty cleaning areas, with typical applications in: Small warehouses, garage/car facilities, light manufacturing, supermarkets, hospitals, office buildings, health care facilities, sport centers, educational buildings and cleaning contractors.

## High productivity

- Large 75 litre solution and recovery tanks allows longer cleaning time without re-fill
- Long running time
- Close edge cleaning
- Integrated front wheel traction, no need for adjustment or lubrication of chains or belts
- Large non marking wheels
- Automatic squeegee lift in revers
- Easy access to recovery tank makes cleaning fast and easy
- Adjustable brush pressure ensures a perfect cleaning resold on all type of floors

## Long life – low maintenance costs

- Low voltage cut off to protect the batteries
- No tool squeegee blade change
- Automatically brush off in neutral, protects the floor from being damaged
- Rugged solution and recovery tanks
- Squeegee blades can be used on all four edges
- The squeegee break away feature protects the machine and the inventory
- Float system shuts off vacuum air flow when tank is full to prevent overflow

## Driver comfort

- Extremely low noise level, perfect for daytime cleaning in noise sensitive areas
- Ergonomic and easy to understand controls
- Adjustable steering wheel
- One Touch scrub control
- The machine can be entered from both right and left side
- Excellent line of sight makes it easy to manoeuvre even in the tightest areas

## Focus on safety

- Excellent line of sight
- Automatic speed control on turns
- Dynamic breaking
- Emergency stop on control panel
- Key switch to prevent unauthorised use
- Circuit breaker on all electrical components




Large opening, makes battery maintenance very easy

## The best answer for productive cleaning in:

- Small warehouses
- Office buildings
- Supermarkets
- Light manufacturing
- Sport centres
- Schools & universities
- Garage & car facilities
- Hospitals & health care facilities



## Value for money



# Choosing the right machine for the job

The wide range of Nilfisk-ALTO scrubber dryers allows you to select exactly the right machine for your particular needs. The SCRUBTEC R 3 series includes models with 61, 66 or 71 cm scrubbing paths, with disc and cylindrical and interchangeable decks. Flexibility is the key to getting the job done quickly, efficiently, and at a lower cost. Our selection of options enables you to custom-build your machine for your specific application.



## Options

- Safety beacon light
- Back up alarm sound reducer

TECHNICAL DATA:	SCRUBTEC R 361 OBC	SCRUBTEC R 366 OBC	SCRUBTEC R 371 OBC	SCRUBTEC R 371 C OBC
Cleaning width (mm)	610	660	710	710
Squeegee width (mm)	840	840	890	890
Max theoretical surface performance (m <sup>2</sup> /h)	3700	4000	4300	4300
Theoretical surface performance (4 Km/h) (m <sup>2</sup> /h)	2440	2640	2840	2840
Tank capacity solution - recovery (litre)	75	75	75	75
Power source battery (Volt)	24	24	24	24
Brush motor power (W)	2 x 400	2 x 400	2 x 400	2 x 600
Brush speed (RPM)	190	190	190	750
Brush pressure (adjustable) (Kg)	30-50	30-50	30-50	34
Vacuum motor power (Watt)	500	500	500	500
Max Speed (Km/h)	6	6	6	6
Dimensions L x W x H (mm)	1450 x 658 x 1250	1450 x 682 x 1250	1450 x 758 x 1250	1450 x 758 x 1250
Noise level (dbA/(LpA))	60,8	60,8	60,8	60,8
Weight with battery (Kg)	403	403	403	411



The Nilfisk-ALTO brand is owned by Nilfisk-Advance A/S, one of the leading professional cleaning equipment companies in the world, with a turn-over of Euro 789 million and 4.900 employees.

Our headquarters is in Denmark and we have sales companies in all main European countries, North America and Asia. Our manufacturing facilities are in Hungary, China, Italy, the USA, Singapore, Denmark and Germany.

We supply quality high pressure washers, vacuum cleaners and floor care equipment to agriculture, automotive and industrial companies, cleaning contractors and private consumers.

With the Nilfisk-ALTO brand we focus on innovation and growth. We believe in developing and maintaining long lasting relationships with our customers, suppliers and employees.

*No claims can be made on the basis of information or illustrations contained in this catalogue. Subject to alteration of technical data, design and equipment.*

Distributed by:

Nilfisk-ALTO  
Division of Nilfisk-Advance A/S  
[www.nilfisk-alto.com](http://www.nilfisk-alto.com)

# Nilfisk ALTO

**Why Compromise**